Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20030163550").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:23
L2	2	"20030163550"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:56
L3	66	(partial$5 part 'not wholly') with (invalid$5 valid$5) with ((file$3 adj3 name$5) file$3 content$3) with (director$5 cache$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:32
L4	49	3 and @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:36
L5	15	(partial$5 'in part' 'not wholly') with (invalid$5 valid$5) with ((file$3 adj3 name$5) file$3 content$3) with (director$5 cache$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:35
L6	58	(partial$5 'in part' 'not wholly') with (invalid$5 valid$5) with (entr$5 attribut$5 list$5 enumerat$6 (file$3 adj3 name$5)) with (director$5 cache$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:36
L7	5	(partial$5 'in part' 'not wholly') with (invalid$5 valid$5) with (entr$5 attribut$5 list$5 enumerat$6 (file$3 adj3 name$5)) with (director$5 near cache$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:36
L8	55	6 and @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:19

L9	4	7 and @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:37
L10	35	"5944780"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:39
L11	36	partially with (valid$5 invalid$5 in-valid$5) with (file list$5 enumerat$5 categor$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:54
L12	10	partially with (valid$5 invalid$5 in-valid$5) with (file list$5 enumerat$5 categor$5) with director$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:06
L13	1	partially with (valid$5 invalid$5 in-valid$5) with (file list$5 enumerat$5 categor$5) with (cache$3 near director$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:49
L14	7292	709/217	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:51
L15	6736	709/219	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:51
L16	3587	(709/217).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:52

L17	3360	(709/219).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:52
L18	0	(13 12 11) and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:52
L19	1	(13 12 11) and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:53
L20	6	venkataraman near ramanathan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:53
L21	6	(venkataraman near ramanathan).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:54
L22	108	partially with (valid$5 invalid$5 in-valid$5) with (director$5 cache$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:54
L23	1	partially with (valid$5 invalid$5 in-valid$5) with (file adj2 name$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:54
L24	69	partially near9 (valid$5 invalid$5 in-valid$5) near9 (director$5 cache$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:55
L25	0	"2003802076"	DERWENT	OR	OFF	2005/11/17 13:57
L26	1	"2003-802076"	DERWENT	OR	OFF	2005/11/17 13:57

L28	109	(local$3 adj cache$3) with (target$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:07
L29	5511	(determin$5 inspect$5 check$3 detect$3) near9 (file$3 adj2 (name$3 information$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:08
L30	20	(determin$5 inspect$5 check$3 detect$3) near9 (file$3 adj2 (name$3 information$3)) with ((local adj cache$3) (cache$3 near director$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:09
L31	20	30 and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:09
L32	10	31 and @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:11
L33	1	(file$3 adj2 (name$3 information$3)) near9 (partially) near9 (valid$3 invalid$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:14
L34	2	(file$3 adj2 (name$3 information$3)) with (partially) with (valid$3 invalid$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:12
L37	55	(list$3 enumerat$5 categor$5) near9 (partially) near9 (updat$5 modify$5 chang$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:18

L39	2	(list$3 enumerat$5 categor$5) near9 (partially) near9 (updat$5 modify$5 chang$5) with (cache$3 director$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:18
L40	52	(partially) near9 (updat$5 modify$5 chang$5) with (cache$3 director$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:19
L41	36	40 and @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:20
L42	57	(partially) near9 (updat$5 refresh$5 modify$5 chang$5) with (cache$3 director$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:23
L43	38	42 and @ad<"20020222"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:20
L44	1	(partially) near9 (updat$5 refresh$5 modify$5 chang$5) with (cache$3 director$5) with (file$3 list$3 enumerat$5 categor$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:24
L45	447	(partially) near9 (updat$5 refresh$5 modify$5 chang$5) with (file$3 list$3 enumerat$5 categor$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:25
L46	1	(list$3 enumerat$5 categor$5) near9 (partially) near9 (updat$5 modify$5 chang$5) with (director$5 near cache$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:30

Web Results **1** - **10** of about **791** for **"directory cache" "partially" refresh update modify replace file**. (**0.56** seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

SGI TPL (IRIX 5.3: Administrative/NSProxy_AG - Chapter 3 ...
This Chapter also discusses how to create and **modify** user databases. ... during the **Refresh** time, You risk getting an outdated **file**. ...
techpubs.sgi.com/.../SGI_Admin/ NSProxy_AG/sgi_html/ch03.html - 61k - Supplemental Result - Cached - Similar pages

[PDF] VERITAS NetBackup 4.5
File Format: PDF/Adobe Acrobat - View as HTML
files on the hard drive in order to allow the **update**. ... You must **modify files** in this folder as part of the installation. See ...
backups.lbl.gov/backups/documentation/ SysAdmin/4.5/NetBackup_Install_PC.pdf - Similar pages

[PDF] NetBackup 4.5 Installation Guide for PC Clients
File Format: PDF/Adobe Acrobat - View as HTML
files on the hard drive in order to allow the **update**. ... For BusinesServer, **modify** the hosts **file** to contain the NetBackup server. For ...
www.zedat.fu-berlin.de/services/ fab/man/4.5/NetBackup_Install_PCClients-4.5.pdf - Similar pages

Applications in Delphi and BCB > Just Useful > Internet. Torry's ...
it is difficult to find all New and changed **Files** in all folders. ... **update** your Applications through The web. Now get The easiest way to let your ...
torry.net/pages.php?id=593&_SID=80463d65ef9d9da6229aa6a492a676e8 - 499k - Supplemental Result - Cached - Similar pages

Neohapsis Archives - Freshmeat News - #0006 - [fm-news] Newsletter ...
including one bug that caused the **directory cache** to fail to **refresh** ... once, printing and print preview, find/ **replace**/find in **files** dialogs, ...
archives.neohapsis.com/archives/ apps/freshmeat/2004-11/0006.html - 70k - Cached - Similar pages

[PDF] TPC Benchmark™ H Full Disclosure Report
File Format: PDF/Adobe Acrobat - View as HTML
as well as an input **file** containing the 22 queries and/or **refresh** functions. tpcdbatch ... remove the **update**.pair.num **file** so when setupDir runs, it doesn't ...
www.tpc.org/results/FDR/ tpch/p655_1000GB_16proc_0312_FDR.pdf - Similar pages

> [PDF] TPC Benchmark™ H Full Disclosure Report
> File Format: PDF/Adobe Acrobat - View as HTML
> as well as an input **file** containing the 22 queries and/or **refresh** ... for **update** functions. TPCD_STAGING_TABLE_DDL=create_UFtables.ddl # **file** that ...
> www.tpc.org/results/FDR/tpch/ ibm.openpower720.300gb.041216.fdr.pdf - Similar pages
> [More results from www.tpc.org]

[PDF] NetBackup 4.5 Installation Guide for PC Clients
File Format: PDF/Adobe Acrobat - View as HTML
Files on The hard drive in order to allow The **Update**. ... load install.nlm and Select The NCF **Files** option. **Modify** STARTUP.NCF on ...
ftp.support.veritas.com/pub/support/ products/NetBackup_DataCenter/246882.pdf - Supplemental Result - Similar pages

NOVELL: Glossary of Terms
The division of **partially** used disk blocks into smaller, 512-byte blocks. ... **Modify** bit. When a **file** is changed, a **file** attribute set by the operating ...

www.novell.com/company/glossary.html - 513k - Cached - Similar pages

Name Services Configuration Guide
However, NIS maps were designed to **replace** UNIX /etc **files**, as well as other ...
A coldstart **file** is used only to initialize a client's **directory cache**. ...
docs.sun.com/source/801-6635/801-6635.book - 504k - Cached - Similar pages

Gooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

"directory cache" "partially" refresh u Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

Web Results **11** - **20** of about **791** for **"directory cache" "partially" refresh update modify replace file.** (**0.25** seconds)

[PDF] Domain and Type Enforcement in Linux
File Format: PDF/Adobe Acrobat - View as HTML
to **modify** the **file** system itself. Zadok has introduced stackable **file** systems to Linux as well ... cannot write or **replace** any **files** which it can execute. ...
www.cs.wm.edu/~kearns/dissertations.d/serge.pdf - Similar pages

[PDF] Document1 (Page 1)
File Format: PDF/Adobe Acrobat - View as HTML
want to **replace** an existing **file**, type in the **file** name or click on ...
DIRECTORY CACHE. CONFIGURATION. FONT. **REFRESH**. **FILE** CACHE. Activate Button ...
67.121.164.40/broadband/PC-IPManualv1.0.pdf - Similar pages

[PDF] Tips for Determining the Cause of SASIxp / NCS ABACUSxp Software ...
File Format: PDF/Adobe Acrobat
... installing SQL server SP3a or MDAC 2.7 SP1 **Refresh**. ... or workstation NICs are not defective, **partially** defective, or ... 2. **Modify** the Windows NT 4 or Windows 2000 ...
customerlink.pearsondigital.com/ProductSupportDocs/ PDFs/sxp_performance_tips_apr_2004.pdf - Supplemental Result - Similar pages

MAME - Documents - What's new in betas
... you will have to **replace** the source **file** allegro\src\misc\pckeys.c with the
... New zip **directory cache** and filename cache (the latter only in the DOS ...
www.mame.net/whatbeta.html - 193k - Cached - Similar pages

ange-ftp.el --- transparent FTP support for GNU Emacs ;; Copyright ...
A subset of ;; the common **file**-handling routines are extended to interact ...
(defun ange-ftp-**replace**-name-component (fullname name) (save-match-Data (If ...
www.emacswiki.org/elisp/ange-ftp.el.gz - 254k - Supplemental Result - Cached - Similar pages

Applications in Delphi and BCB > Just Useful > Internet. Torry's ...
Transfer **Files** with ease using this intuitive and powerful FTP client. ...
from its bodies, and optional **replace** variables in project. ...
torry.net/ pages.php?id=593&sort=Date&SID=5a6ee3f366fdf7faa4e8559e6d8d5440 - 495k - Supplemental Result - Cached - Similar pages

NIS+ and DNS Setup and Configuration Guide
You only need to **modify** the /etc/init.d/rpc **file** if you want the root replica
... In this example, a cold-start **file** and a **directory cache file** still exist ...
docs.sun.com/source/802-1964/802-1964.book - 513k - Cached - Similar pages

[PDF] www.novell.com/documentation/lg/nw65/pdfdoc/utlrfe...
File Format: PDF/Adobe Acrobat - View as HTML
Supplemental Result - Similar pages
[More results from www.novell.com]

[PDF] privare.fbk.eur.nl/Manuals/SysAdmin/817-4843.pdf
File Format: PDF/Adobe Acrobat - View as HTML
Supplemental Result - Similar pages

Neohapsis Archives - Compaq Products - DEC TCP/IP UCXALP_E05042 ...
After **update** from UCX 4.1 ECO 9 to 4.2 ECO 3, the system crashed during Pathworks

startup. ... **files with partially-filled last blocks, and to use ...**
archives.neohapsis.com/ archives/compaq/2001-q4/0001.html - 381k - Cached - Similar pages

Gooooooooooogle

Result Page: **Previous** 1 2 3 4 5 6 7 8 9 10 11 **Next**

"directory cache" "partially" refresh u Search

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

Terms used **'directory cache' update modify refresh** Found **4** of **166,357**

Sort results by relevance

Display results expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 4 of 4

Relevance scale

1 XML query processing I: Dynamic XML documents with distribution and replication

Serge Abiteboul, Angela Bonifati, Grégory Cobéna, Ioana Manolescu, Tova Milo

June 2003 **Proceedings of the 2003 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available: pdf(209.06 KB) Additional Information: full citation, abstract, references, citings, index terms

The advent of XML as a universal exchange format, and of Web services as a basis for distributed computing, has fostered the apparition of a new class of documents: *dynamic XML documents*. These are XML documents where some data is given explicitly while other parts are given only intensionally by means of embedded calls to web services that can be called to generate the required information. By the sole presence of Web services, dynamic documents already include inherently some form of di ...

2 Decentralizing a global naming service for improved performance and fault tolerance

D. R. Cheriton, T. P. Mann

May 1989 **ACM Transactions on Computer Systems (TOCS)**, Volume 7 Issue 2

Publisher: ACM Press

Full text available: pdf(3.19 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Naming is an important aspect of distributed system design. A naming system allows users and programs to assign character-string names to objects, and subsequently use the names to refer to those objects. With the interconnection of clusters of computers by wide-area networks and internetworks, the domain over which naming systems must function is growing to encompass the entire world. In this paper we address the problem of a global naming system, proposing a three-level naming ...

3 The TRIPOS filing machine, a front end to a file server

M. F. Richardson, R. M. Needham

October 1983 **ACM SIGOPS Operating Systems Review , Proceedings of the ninth ACM symposium on Operating systems principles SOSP '83**, Volume 17 Issue 5

Publisher: ACM Press

Full text available: pdf(771.11 KB) Additional Information: full citation, abstract, references, citings, index terms

This paper discusses an experiment which sets out to improve the performance of a number of single user computers which rely on a general purpose file server for their filing systems. The background is described in detail in reference [1], but for completeness it is necessary to say something about it here. The Cambridge Distributed Computing System consists, at the time of writing, of between 50 and 60 machines of various types, connected by a digital communications ring. On the ...

4 Layered transmission and caching for the multicast session directory service

Andrew Swan, Steven McCanne, Lawrence A. Rowe
September 1998 **Proceedings of the sixth ACM international conference on Multimedia**
Publisher: ACM Press
Full text available: pdf(1.32 MB) Additional Information: full citation, references, citings, index terms

Results 1 - 4 of 4

Published before February 2002
Terms used **'directory cache' update modify refresh**

Found **3** of **124,002**

Sort results by: relevance
Display results: expanded form

Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 3 of 3

Relevance scale

1 Decentralizing a global naming service for improved performance and fault tolerance

D. R. Cheriton, T. P. Mann
May 1989 **ACM Transactions on Computer Systems (TOCS)**, Volume 7 Issue 2
Publisher: ACM Press

Full text available: pdf(3.19 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Naming is an important aspect of distributed system design. A naming system allows users and programs to assign character-string names to objects, and subsequently use the names to refer to those objects. With the interconnection of clusters of computers by wide-area networks and internetworks, the domain over which naming systems must function is growing to encompass the entire world. In this paper we address the problem of a global naming system, proposing a three-level naming ...

2 The TRIPOS filing machine, a front end to a file server

M. F. Richardson, R. M. Needham
October 1983 **ACM SIGOPS Operating Systems Review , Proceedings of the ninth ACM symposium on Operating systems principles SOSP '83**, Volume 17 Issue 5
Publisher: ACM Press

Full text available: pdf(771.11 KB) Additional Information: full citation, abstract, references, citings, index terms

This paper discusses an experiment which sets out to improve the performance of a number of single user computers which rely on a general purpose file server for their filing systems. The background is described in detail in reference [1], but for completeness it is necessary to say something about it here. The Cambridge Distributed Computing System consists, at the time of writing, of between 50 and 60 machines of various types, connected by a digital communications ring. On the ...

3 Layered transmission and caching for the multicast session directory service

Andrew Swan, Steven McCanne, Lawrence A. Rowe
September 1998 **Proceedings of the sixth ACM international conference on Multimedia**
Publisher: ACM Press

Full text available: pdf(1.32 MB) Additional Information: full citation, references, citings, index terms

Results 1 - 3 of 3

Published before February 2002
Terms used
directory cache update modify refresh enumeration file

Found **7** of **124,002**

Sort results by: relevance
Display results: expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 7 of 7

Relevance scale

1 Intelligent database caching through the use of page-answers and page-traces

Nabil Kamel, Roger King
December 1992 **ACM Transactions on Database Systems (TODS)**, Volume 17 Issue 4
Publisher: ACM Press

Full text available: pdf(3.08 MB) Additional Information: full citation, abstract, references, citings, index terms

In this paper a new method to improve the utilization of main memory systems is presented. The new method is based on prestoring in main memory a number of query answers, each evaluated out of a single memory page. To this end, the ideas of page-answers and page-traces are formally described and their properties analyzed. The query model used here allows for selection, projection, join, recursive queries as well as arbitrary combinations. We also show how to apply the approach under update ...

Keywords: artificial intelligence, databases, page access

2 Customized information extraction as a basis for resource discovery

Darren R. Hardy, Michael F. Schwartz
May 1996 **ACM Transactions on Computer Systems (TOCS)**, Volume 14 Issue 2
Publisher: ACM Press

Full text available: pdf(1.91 MB) Additional Information: full citation, abstract, references, index terms, review

Indexing file contents is a powerful means of helping users locate documents, software, and other types of data among large repositories. In environments that contain many different types of data, content indexing requires type-specific processing to extract information effectively. We present a model for type-specific, user-customizable information extraction, and a system implementation called Essence. This software structure allows users to associate specialized extracti ...

Keywords: Internet, distributed indexing, resource discovery

3 Searching the Web

August 2001 **ACM Transactions on Internet Technology (TOIT)**, Volume 1 Issue 1
Publisher: ACM Press

Full text available: pdf(319.98 KB) Additional Information: full citation, abstract, references, citings, index terms, review

We offer an overview of current Web search engine design. After introducing a generic search engine architecture, we examine each engine component in turn. We cover crawling, local Web page storage, indexing, and the use of link analysis for boosting search performance. The most common design and implementation techniques for each of these components are presented. For this presentation we draw from the literature and from our own experimental search engine testbed. Emphasis is on introduci ...

Keywords: HITS, PageRank, authorities, crawling, indexing, information retrieval, link analysis, search engine

4 Interoperability of multiple autonomous databases

Witold Litwin, Leo Mark, Nick Roussopoulos

September 1990 **ACM Computing Surveys (CSUR)**, Volume 22 Issue 3

Publisher: ACM Press

Full text available: pdf(2.66 MB) Additional Information: full citation, abstract, references, citings, index terms, review

Database systems were a solution to the problem of shared access to heterogeneous files created by multiple autonomous applications in a centralized environment. To make data usage easier, the files were replaced by a globally integrated database. To a large extent, the idea was successful, and many databases are now accessible through local and long-haul networks. Unavoidably, users now need shared access to multiple autonomous databases. The question is what the corresponding methodology ...

5 A Survey of Techniques for Synchronization and Recovery in Decentralized Computer Systems

Walter H. Kohler

June 1981 **ACM Computing Surveys (CSUR)**, Volume 13 Issue 2

Publisher: ACM Press

Full text available: pdf(3.33 MB) Additional Information: full citation, references, citings, index terms

6 Information gathering in the World-Wide Web: the W3QL query language and the W3QS system

David Konopnicki, Oded Shmueli

December 1998 **ACM Transactions on Database Systems (TODS)**, Volume 23 Issue 4

Publisher: ACM Press

Full text available: pdf(1.36 MB) Additional Information: full citation, abstract, references, citings, index terms

The World Wide Web (WWW) is a fast growing global information resource. It contains an enormous amount of information and provides access to a variety of services. Since there is no central control and very few standards of information organization or service offering, searching for information and services is a widely recognized problem. To some degree this problem is solved by "search services," also known as "indexers," such as Lycos, AltaVista, Yahoo, and others. ...

Keywords: CGI, FORMS, HTML, HTTP, PERL, World-Wide Web, query language, query system

7 IP multicast channels: EXPRESS support for large-scale single-source applications

Hugh W. Holbrook, David R. Cheriton

August 1999 **ACM SIGCOMM Computer Communication Review , Proceedings of the conference on Applications, technologies, architectures, and protocols for computer communication SIGCOMM '99**, Volume 29 Issue 4

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index

Full text available: pdf(1.66 MB) terms

In the IP multicast model, a set of hosts can be aggregated into a group of hosts with one address, to which any host can send. However, Internet TV, distance learning, file distribution and other emerging large-scale multicast applications strain the current realization of this model, which lacks a basis for charging, lacks access control, and is difficult to scale.This paper proposes an extension to IP multicast to support the *channel* model of multicast and describes a specific realizat ...

Results 1 - 7 of 7

Results for "((directory <in>metadata) <and> (cache<in>metadata))<and> (partially&..."

Your search matched **3** of **1260866** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

((directory <in>metadata) <and> (cache<in>metadata))<and> (partially<in>metad

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

1. **Hardware for speculative parallelization of partially-parallel loops in DSM multiprocessors**
   Ye Zhang; Rauchwerger, L.; Torrellas, J.;
   High-Performance Computer Architecture, 1999. Proceedings. Fifth International Symposium On
   9-13 Jan. 1999 Page(s):135 - 139
   Digital Object Identifier 10.1109/HPCA.1999.744351
   AbstractPlus | Full Text: PDF(284 KB) IEEE CNF

2. **Location consistency-a new memory model and cache consistency protocol**
   Gao, G.R.; Sarkar, V.;
   Computers, IEEE Transactions on
   Volume 49, Issue 8, Aug. 2000 Page(s):798 - 813
   Digital Object Identifier 10.1109/12.868026
   AbstractPlus | References | Full Text: PDF(844 KB) IEEE JNL

3. **High performance SRAMs in 1.5 V, 0.18 /spl mu/m partially depleted SOI technology**
   Joshi, R.V.; Pellela, A.; Wagner, O.; Chan, Y.H.; Dachtera, W.; Wilson, S.; Kowalczyk, S.P.;
   VLSI Circuits Digest of Technical Papers, 2002. Symposium on
   13-15 June 2002 Page(s):74 - 77
   Digital Object Identifier 10.1109/VLSIC.2002.1015050
   AbstractPlus | Full Text: PDF(359 KB) IEEE CNF